

References

- Afari N, Buchwald D. Chronic fatigue syndrome: A review. *Am J Psychiatry* 2003;160:221-36.
- Bailey SP. Chronic fatigue syndrome. In: *Guidelines for Exercise: Testing and Prescription*; pp. 186-91. American College of Sports Medicine. (2003). Lippincott Williams and Wilkins.
- Beck AT, Ward CH, Mendelson M, Mock J, Erbaugh J. An inventory for measuring depression. *Arch Gen Psychiatry* 1961 Jun;4:561-71.
- Bell D. In *The Doctor's Guide to Chronic Fatigue Syndrome*; pp.122-123. Reading, MA: Addison-Wesley Publishing Company. Copyright 1994, 1995.
- Bleijenberg G, Prins J, Bazelmans E. Cognitive behavioral therapies. (2003). In: Jason LA, Fennell PA, Taylor RR, Ed. *Handbook of Chronic Fatigue Syndrome*. 1st ed; pp. 493-526. Hoboken, NJ: John Wiley and Sons.
- Buyse DJ, Reynolds CF 3rd, Monk TH, Berman SR, Kupfer DJ. The Pittsburgh Sleep Quality Index: a new instrument for psychiatric practice and research. *Psychiatry Res* 1989 May;28(2):193-213.
- CFS/ME Working Group. *Report to the Chief Medical Officer of the Independent CFS/ME Working Group*, January 2002, p. 51. [Electronic version]. Retrieved September 25, 2006 from the Department of Health website: www.dh.gov.uk/assetRoot/04/06/49/45/04064945.pdf
- Cullen W, Kearney Y, Bury G. Prevalence of fatigue in general practice. *Ir J Med Sci* 2002 Jan-Mar 31; 171(1):10-12.
- Deale A, Husain K, Chalder T, Wessely S. Long-term outcome of cognitive behavior therapy versus relaxation therapy for chronic fatigue syndrome: a 5-year follow-up study. *Am J Psychiatry* 2001 Dec;158(12):2038-42.
- Dobbins JG, Randall B, Reyes M, Steele L, Livens EA, Reeves WC. Prevalence of chronic fatiguing illness among adolescents in the United States. *J Chron Fatig Synd* 1997;3:15-28.
- Evengard B, Klimas N. Chronic fatigue syndrome: probable pathogenesis and possible treatments. *Drugs* 2002;62(17):2433-46.
- Fukuda K, Straus SE, Hickie I, Sharpe MC, Dobbins JG, Komaroff A. The chronic fatigue syndrome: a comprehensive approach to its definition and study. International Chronic Fatigue Syndrome Study Group. *Ann Intern Med* 1994;121(12):953-9.
- Fulcher KY, White PD. Randomised controlled trial of graded exercise in patients with the chronic fatigue syndrome. *BMJ* 1997 Jun 7;314(7095):1647-52.
- Hockenberry M, Wilson D, Winkelstein ML. (2005). *Wong's Essentials of Pediatric Nursing*, ed. 7; p. 1259. Used with permission. St. Louis, MO: Mosby, Inc.
- Holmes GP, Kaplan JE, Gantz NM, Komaroff AL, Schonberger LB, Straus SE, Jones JF, Dubois RE, Cunningham-Rundles C, Pahwa S, et al. Chronic fatigue syndrome: a working case definition. *Ann Intern Med* 1988 Mar;108(3):387-9.
- Jackson EL. The effects on siblings in families with a child with chronic fatigue syndrome. *J Child Health Care* 1999;3(2):27-32.
- Jason LA, Richman JA, Rademaker AW, Jordan KM, Plioplys AV, Taylor RR, McCready W, Huang CF, Plioplys S. A community-based study of chronic fatigue syndrome. *Arch Intern Med* 1999; 159(18):2129-37.
- Jones JF, Nisenbaum R, Reeves WC. Medication use by persons with chronic fatigue syndrome: results of a randomized telephone survey in Wichita, Kansas. *Health Qual Life Outcomes* 2003 Dec 2;1(1):74. Retrieved October 20, 2006 from *Health and Quality of Life Outcomes* journal website: www.hqlo.com/content/1/1/74
- Jones JF, Nisenbaum R, Solomon L, Reyes M, Reeves WC. Chronic fatigue syndrome and other fatiguing illnesses in adolescents: a population based study. *J Adolesc Health* 2004; 35(1):34-40.
- Joyce J, Hotopf M, Wessely S. The prognosis of chronic fatigue and chronic fatigue syndrome: a systematic review. *Q J Med* 1997;90:223-233.
- Kaushik N, Fear D, Richards SCM, McDermott CF, Nuwaysir EF, Kellam P, Harrison TJ, Wilkinson RJ, Tyrrell DAJ, Holgate ST, Kerr JR. Gene expression in peripheral blood mononuclear cells from patients with chronic fatigue syndrome. *J Clin Path* 2005;58:826-832.
- Kennedy CL, Song S, Johnson D, Torres S. Chronic fatigue syndrome: occupation, medical utilization, and subtypes in a community-based sample. *J Nerv Ment Dis* 2000 Sep;188(9): 568-76.
- Kessler RC, McGonagle KA, Zhao S, Nelson CB, Hughes M, Eshleman S, Wittchen H, Kendler KS. Lifetime and 12-month prevalence of the DSM-III-R psychiatric disorders in the United States: Results from the National Comorbidity Study. *Arch Gen Psychiatry* 1994;51:8-19.
- Lapp C. (1993). Subjective Functional Capacity Assessment Scale. Hunter-Hopkins Center, Charlotte, NC. Available at the CFIDS Association of America, PO Box 220398 Charlotte, NC 28222-0398. E-mail meded@cfids.org.
- Lloyd AR. To exercise or not to exercise in chronic fatigue syndrome? No longer a question. *Med J Aust* 2004;180:437-8.
- Loy B. *Accommodation and Compliance Series. Employees with Chronic Fatigue Syndrome*. Job Accommodation Network, a service of the Office of Disability Employment Policy, U.S. Department of Labor. Updated August 26, 2006. Retrieved September 25, 2006 from the Job Accommodation Network website: www.jan.wvu.edu/media/cfs.html
- Lutgendorf SK, Antoni MH, Ironson G, Fletcher MA, Penedo F, Baum A, Schneiderman N, Klimas N. Physical symptoms of chronic fatigue syndrome are exacerbated by the stress of Hurricane Andrew. *Psychosom Med* 1995 Jul-Aug;57(4):310-23.
- Natelson B, Haghighi MH, Ponzio NM. Evidence for the presence of immune dysfunction in chronic fatigue syndrome. *Clin Diagn Lab Immunol* 2002;9(4):747-52.
- Nisenbaum R, Reyes M, Unger ER, Reeves WC. Factor analysis of symptoms among subjects with unexplained chronic fatigue: what can we learn about chronic fatigue syndrome? *J Psychosom Res* 2004;56(2):171-8.
- Nisenbaum R, Jones JF, Unger ER, Reyes M, Reeves WC. A population based study of the clinical course of chronic fatigue syndrome. *Health Qual Life Outcomes* 2003;1:49.
- Pesek JR, Jason LA, Taylor RR. An empirical investigation of the envelope theory. *J Human Beh Soc Environ* 2000;3:59-77.
- Prins JB, Bleijenberg G, Bazelmans E, Elving LD, de Boo TM, Severens JL, van der Wilt GJ, Spinhoven P, van der Meer JW. Cognitive behaviour therapy for chronic fatigue syndrome: a multicentre randomised controlled trial. *Lancet* 2001;357(9259):841-7.
- Reeves WC, Lloyd A, Vernon SD, Klimas N, Jason LA, Bleijenberg G, Evengard B, White PD, Nisenbaum R, Unger ER. Identification of ambiguities in the 1994 chronic fatigue syndrome research case definition and recommendations for resolution. *BMC Health Serv Res* 2003;3(1):25.
- Reeves WC, Wagner D, Nisenbaum R, Jones JF, Gurbaxani B, Solomon L, Papanicolaou DA, Unger ER, Vernon SD, Heim C. Chronic fatigue syndrome—a clinically empirical approach to its definition and study. *BMC Med* 2005 Dec; 15:3:19.
- Reyes M, Gary HE Jr, Dobbins JG, Randall B, Steele L, Fukuda K, Holmes GP, et al. Surveillance for chronic fatigue syndrome — four U.S. cities, September 1989 through August 1993. *MMWR CDC Surveill Summ* 1997;46:1-13.
- Reyes M, Nisenbaum R, Hoaglin DC, Unger ER, Emmons C, Randall B, Stewart JA, Abbey S, Jones JF, Gantz N, Minden S, Reeves WC. Prevalence and incidence of chronic fatigue syndrome in Wichita, Kansas. *Arch Intern Med* 2003;163(13):1530-6.
- Reynolds KJ, Vernon SD, Bouchery E, Reeves WC. The economic impact of chronic fatigue syndrome. *Cost Eff Resour Alloc* 2004 Jun 21;2(1):4.
- Rowe PC, Bou-Holaigah I, Kan JS, Calkins H. Is neurally mediated hypotension an unrecognised cause of chronic fatigue? *Lancet* 1995 Mar 11; 345(8950):623-4.
- Shlaes JL, Jason LA, Ferrari JR. The development of the Chronic Fatigue Syndrome Attitudes Test: A psychometric analysis. *Eval Hlth Prof* 1999 Dec;22:442-465.
- Smets EM, Garssen B, Bonke B, De Haes JC. The Multidimensional Fatigue Inventory (MFI) psychometric qualities of an instrument to assess fatigue. *J Psychosom Res* 1995 Apr;39(3):315-25.
- Spitzer RL, Kroenke K, Williams JB. Validation and utility of a self-report version of PRIME-MD: the PHQ primary care study. Primary Care Evaluation of Mental Disorders. Patient Health Questionnaire. *JAMA* 1999 Nov 10;282(18): 1737-44.
- Steer RA, Cavalieri TA, Leonard DM, Beck AT. Use of the Beck Depression Inventory for Primary Care to screen for major depression disorders. *Gen Hosp Psychiatry* 1999 Mar-Apr;21(2): 106-11.
- Stevens S. A realistic approach to exercise and exercise rehabilitation in CFS. Presented at the Advances In Understanding and Treating CFS and FM Conference. Salt Lake City, Utah; May 15, 2004.

Taggart HM, Arslanian CL, Bae S, Singh K. Effects of T'ai Chi exercise on fibromyalgia symptoms and health-related quality of life. *Orthop Nurs* 2003 Sep-Oct;22(5):353-60.

Taylor RR, Friedberg F, Jason LA. (2001). A Clinician's Guide to Controversial Illnesses: Chronic Fatigue Syndrome, Fibromyalgia and Multiple Chemical Sensitivities; pp. 63-86. Sarasota, Florida: Professional Resource Press.

Taylor RR, Kielhofner G. An occupational therapy approach to persons with chronic fatigue syndrome: Part two, assessment and intervention. *Occupational Therapy in Health Care* 2003;17(2):63-87.

Unger ER, Nisenbaum R, Moldofsky H, Cesta A, Sammut C, Reyes M, Reeves WC. Sleep assessment in a population-based study of chronic fatigue syndrome. *BMC Neurol* 2004 April 19;4:6.

United States Centers for Disease Control and Prevention (CDC). *Physical Activity for Everyone: Measuring Physical Activity Intensity: Perceived Exertion (Borg Rating of Perceived Exertion Scale)*. Updated March 22, 2006. Retrieved September 22, 2006 from CDC website: www.cdc.gov/nccdphp/dnpa/physical/measuring/perceived_exertion.htm

United States Centers for Disease Control and Prevention (CDC), National Centers for Infectious Disease (NCID). *Epstein-Barr virus and infectious mononucleosis*. Revised October 26, 2002. Retrieved September 22, 2006, from the CDC/NCID website: www.cdc.gov/ncidod/diseases/ebv.htm

United States Department of Education. Individuals with Disabilities Education Improvement Act of 2004 (IDEA). Office of Special Education Programs (OSEP). *Individualized Education Program (IEP)*. Retrieved September 22, 2006 from U.S. Department of Education website: www.ed.gov/policy/speced/guid/idea/tb-iep.doc

Vercoulen JH, Swanink CM, Fennis JF, Galama JM, van der Meer JW, Bleijenberg G. Prognosis in chronic fatigue syndrome: a prospective study on the natural course. *J Neurol Neurosurg Psychiatry* 1996;60(5):489-94.

Vernon SD, Unger ER, Dimulescu IM, Rajeevan M, Reeves WC. Utility of the blood for gene expression profiling and biomarker discovery in chronic fatigue syndrome. *Dis Markers* 2002;18(4):193-99.

Wagner D, Nisenbaum R, Heim C, Jones JF, Unger ER, Reeves WC. Psychometric properties of the CDC Symptom Inventory for assessment of chronic fatigue syndrome. *Population Health Metrics* 2005 July 22, 3:8. Retrieved July 28, 2005 from *Population Health Metrics* website: www.pophealthmetrics.com/content/3/1/8

Wallman, KE, Morton AR, Goodman C, Grove R, Guilfoyle AM. Randomized controlled trial of graded exercise in chronic fatigue syndrome. *Med J Aust* 2004;180:444-48.

Ware JE Jr, Sherbourne CD. The MOS 36-item short-form health survey (SF-36). I. Conceptual framework and item selection. *Med Care* 1992 Jun;30(6):473-83.

Wessely S, White PD. There is only one functional somatic syndrome. *Br J Psychiatry* 2004 Aug; 185:95-6.

A note about Internet-based resources: As the Internet is ever-changing, it is not possible to ensure that each website listed within the course remains operational and contains the precise information as retrieved by the course developers. All information is current as of October 20, 2006.